



# ESKALIGHT

LIGHTING UP UKRAINE



2024

# ESKALIGHT

ESKALIGHT Ltd.

st. Ekskavatornaja 24  
03062 Kyiv, Ukraine

+38 (098) 379-91-90

+38 (098) 106-13-42

[www.eskalight.com](http://www.eskalight.com)

[diolight.kiev@gmail.com](mailto:diolight.kiev@gmail.com)





# ABOUT US

Our company is a fabricator known for producing standard, custom and innovative light poles, traffic signal structures, led lamps and variety of accessory components.


# CRAFT

We have collected amazing experience and skill over decades to deliver high-quality products, guaranteeing best-in-class urban led lighting



# ATTITUDE


We deeply engage with each project, gaining a comprehensive understanding of their specific requirements in design, materials, quality, inspections, and certifications.





# LIGHTING THAT INSPIRES

We work not only with outdoor lighting. Our vision goes far beyond standard solutions and components. We are ready to develop and multiply any good idea in order to give admiration and inspiration to future generations.




# LED POLES



To see more of our completed projects, follow the link to our website.





# GALOS

## LED LIGHTING POLE

### STEEL LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m  
6 m  
7 m  
8 m

### POWER

24 w  
24 w  
42 w  
42 w  
65 w  
65 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm  
6000 lm  
7500 lm  
7500 lm

### ALUMINIUM LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m

### POWER

24 w  
24 w  
42 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm

## QUALITY COMPONENTS



### PROTECTIVE COATING

high-quality polymer painting. The steel product can be additionally protected by a zinc coating.

### PROTECTION LEVEL

the product has a certified protection level corresponding to IP65

### WARRANTY

60 months full manufacturer's warranty. Estimated service life before maintenance is 50+ years



Any body color paint according to the RAL catalog.




### ACTUAL PRICING:

to view this product on our website, scan the code



**SUPPLY ABILITY:** 300 pcs./month



# AUDREY

## LED LIGHTING POLE

### STEEL LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m  
6 m  
7 m  
8 m

### POWER

24 w  
24 w  
42 w  
42 w  
65 w  
65 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm  
6000 lm  
7500 lm  
7500 lm

### ALUMINIUM LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m

### POWER

24 w  
24 w  
42 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm

## QUALITY COMPONENTS



### PROTECTIVE COATING


high-quality polymer painting. The steel product can be additionally protected by a zinc coating.

### PROTECTION LEVEL

the product has a certified protection level corresponding to IP65

### WARRANTY

60 months full manufacturer's warranty. Estimated service life before maintenance is 50+ years



Any body color paint according to the RAL catalog.




### ACTUAL PRICING:

to view this product on our website, scan the code



**SUPPLY ABILITY:** 300 pcs./month



# TETRA

## LED LIGHTING POLE

### STEEL LINEUP:

(3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m  
6 m  
7 m  
8 m

### POWER

24 w  
24 w  
42 w  
42 w  
65 w  
65 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm  
6000 lm  
7500 lm  
7500 lm

### ALUMINIUM LINEUP:

(3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m

### POWER

24 w  
24 w  
42 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm

## QUALITY COMPONENTS



### PROTECTIVE COATING

high-quality polymer painting. The steel product can be additionally protected by a zinc coating.

### PROTECTION LEVEL


the product has a certified protection level corresponding to IP65

### WARRANTY

60 months full manufacturer's warranty. Estimated service life before maintenance is 50+ years



Any body color paint according to the RAL catalog.




### ACTUAL PRICING:

to view this product on our website, scan the code



**SUPPLY ABILITY:** 300 pcs./month





# ALPA

## LED LIGHTING POLE

### STEEL LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m  
6 m  
7 m  
8 m

### POWER

24 w  
24 w  
42 w  
42 w  
65 w  
65 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm  
6000 lm  
7500 lm  
7500 lm

### ALUMINIUM LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m

### POWER

24 w  
24 w  
42 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm

## QUALITY COMPONENTS



### PROTECTIVE COATING

high-quality polymer painting. The steel product can be additionally protected by a zinc coating.

### PROTECTION LEVEL

the product has a certified protection level corresponding to IP65

### WARRANTY

60 months full manufacturer's warranty. Estimated service life before maintenance is 50+ years



Any body color paint according to the RAL catalog.




### ACTUAL PRICING:

to view this product on our website, scan the code



**SUPPLY ABILITY:** 300 pcs./month



# MAREL

## LED LIGHTING POLE

### STEEL LINEUP:

(3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m  
6 m  
7 m  
8 m

### POWER

24 w  
24 w  
42 w  
42 w  
65 w  
65 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm  
6000 lm  
7500 lm  
7500 lm

### ALUMINIUM LINEUP:

(3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m

### POWER

24 w  
24 w  
42 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm

## QUALITY COMPONENTS



### PROTECTIVE COATING

high-quality polymer painting. The steel product can be additionally protected by a zinc coating.

### PROTECTION LEVEL

the product has a certified protection level corresponding to IP65

### WARRANTY

60 months full manufacturer's warranty. Estimated service life before maintenance is 50+ years



Any body color paint according to the RAL catalog.




### ACTUAL PRICING:

to view this product on our website, scan the code



**SUPPLY ABILITY:** 300 pcs./month



# OPAL

## LED LIGHTING POLE

### STEEL LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m  
6 m  
7 m  
8 m

### POWER

24 w  
24 w  
42 w  
42 w  
65 w  
65 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm  
6000 lm  
7500 lm  
7500 lm

### ALUMINIUM LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m

### POWER

24 w  
24 w  
42 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm

## QUALITY COMPONENTS



### PROTECTIVE COATING


high-quality polymer painting. The steel product can be additionally protected by a zinc coating.

### PROTECTION LEVEL

the product has a certified protection level corresponding to IP65

### WARRANTY

60 months full manufacturer's warranty. Estimated service life before maintenance is 50+ years



Any body color paint according to the RAL catalog.



### ACTUAL PRICING:


to view this product on our website, scan the code



**SUPPLY ABILITY:** 300 pcs./month

# SPARKLE

## LED LIGHTING POLE



### STEEL LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m  
6 m  
7 m  
8 m

### POWER

24 w  
24 w  
42 w  
42 w  
65 w  
65 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm  
6000 lm  
7500 lm  
7500 lm

### ALUMINIUM LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m

### POWER

24 w  
24 w  
42 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm

## QUALITY COMPONENTS



### PROTECTIVE COATING


high-quality polymer painting. The steel product can be additionally protected by a zinc coating.

### PROTECTION LEVEL

the product has a certified protection level corresponding to IP65

### WARRANTY

60 months full manufacturer's warranty. Estimated service life before maintenance is 50+ years



Any body color paint according to the RAL catalog.




### ACTUAL PRICING:

to view this product on our website, scan the code



**SUPPLY ABILITY:** 300 pcs./month



# SEDRIK

## LED LIGHTING POLE

### STEEL LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m  
6 m  
7 m  
8 m

### POWER

24 w  
24 w  
42 w  
42 w  
65 w  
65 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm  
6000 lm  
7500 lm  
7500 lm

### ALUMINIUM LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m

### POWER

24 w  
24 w  
42 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm

## QUALITY COMPONENTS



### PROTECTIVE COATING

high-quality polymer painting. The steel product can be additionally protected by a zinc coating.

### PROTECTION LEVEL

the product has a certified protection level corresponding to IP65

### WARRANTY

60 months full manufacturer's warranty. Estimated service life before maintenance is 50+ years



Any body color paint according to the RAL catalog.



### ACTUAL PRICING:

to view this product on our website, scan the code



**SUPPLY ABILITY:** 300 pcs./month



# LAVINE

## LED LIGHTING POLE

### STEEL LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m  
6 m  
7 m  
8 m

### POWER

24 w  
24 w  
42 w  
42 w  
65 w  
65 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm  
6000 lm  
7500 lm  
7500 lm

### ALUMINIUM LINEUP: (3 / 4 mm)

### HEIGHT

3 m  
4 m  
5 m

### POWER

24 w  
24 w  
42 w

### L. FLOW

3500 lm  
3500 lm  
6000 lm

## QUALITY COMPONENTS



### PROTECTIVE COATING

high-quality polymer painting. The steel product can be additionally protected by a zinc coating.

### PROTECTION LEVEL


the product has a certified protection level corresponding to IP65

### WARRANTY

60 months full manufacturer's warranty. Estimated service life before maintenance is 50+ years




Any body color paint according to the RAL catalog.



### ACTUAL PRICING:

to view this product on our website, scan the code



**SUPPLY ABILITY:** 300 pcs./month



# LIGHT POSTS




To see more of our completed projects, follow the link to our website.




# PARK AND GARDEN LED LIGHT POSTS

## FIMA



There is no strict standardization of the products; design, dimensions, equipment are developed for a specific implementation.




### PROTECTIVE COATING

high-quality polymer painting. The steel product can be additionally protected by a zinc coating.

### WARRANTY

60 months full manufacturer's warranty. Estimated service life before maintenance is 50+ years

## GALOSUS



Any body color paint according to the RAL catalog.


More information by QR code



### PROTECTION LEVEL


the product has a certified protection level corresponding to IP65

## ZALOSUS



Any LED color temperature, from 2500K to 6500K daylight.

More information by QR code



## LED MAREL



Our original development. The product works on the principle of reflection and diffusion of light.

More information by QR code







# LED HEADLAMPS




To see more of our completed projects, follow the link to our website.




# LED LAMPS FOR CONE AND CUSTOM POLES

## NEOLED



Standardized, high-quality, reliable, certified lamp for classic and custom lighting poles. 15-150 Watt, 3800-18000 Lumen

More information by QR code





### PROTECTIVE COATING

high-quality polymer painting. The steel products can be additionally protected by a zinc coating.

### WARRANTY

60 months full manufacturer's warranty. Estimated service life before maintenance is 50+ years


## LED MAREL



### PROTECTION LEVEL

all products have a certified protection level corresponding to IP65

## COSMO



## KIPR-24




CUSTOM LED LAMPS FOR URBAN LIGHTING

# HOS-PRO BAY



Standardized,  
high-quality, reliable,  
certified lamp for  
urban lighting.



## PROTECTIVE COATING

high-quality polymer painting. The steel products can be additionally protected by a zinc coating.

## PROTECTION LEVEL

all products have a certified protection level corresponding to IP65

## WARRANTY

60 months full manufacturer's warranty. Estimated service life before maintenance is 50+ years